

**Table A.3.30: Crude Gastroschisis Rates**

Region	Crude Gastroschisis Rates			
	Number Observed per Year	CRUDE rate per 1,000	Number Observed per Year	CRUDE rate per 1,000
	1996/97-2000/01		2001/02-2005/06	
South Eastman				
Central Assiniboine				
Brandon				
Winnipeg	3.6	0.5	4.4	0.6
Interlake				
North Eastman				
Parkland				
Churchill	0.0	0.0	0.0	0.0
Nor-Man				
Burntwood	1.4	1.3		
South			2.0	0.7
Mid	1.4	0.7	2.0	1.1
North	1.6	1.0	1.6	1.1
Manitoba	8.2	0.6	11.0	0.8
Public Trustee	0.0	0.0	0.0	0.0

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008


Region	Crude Gastroschisis Rates			
	Number Observed per Year	CRUDE rate per 1,000	Number Observed per Year	CRUDE rate per 1,000
	1996/97-2000/01		2001/02-2005/06	
Fort Garry			0.0	0.0
Assiniboine South	0.0	0.0	0.0	0.0
St. Boniface	0.0	0.0		
St. Vital				
Transcona				
River Heights	0.0	0.0		
River East			0.0	0.0
Seven Oaks				
St. James - Assiniboia	0.0	0.0		
Inkster				
Downtown				
Point Douglas				
Winnipeg	3.6	0.5	4.4	0.6

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.106: Crude Gastroschisis Rates  
by Aggregate RHA Area**

Crude rates per 1,000 infants aged <1 year



Note: Significance testing is not available

Source: Manitoba Centre for Health Policy, 2008