



Figure 3.132: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Manitoba, 1996/97-1999/2000



Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded


Source: Manitoba Centre for Health Policy, 2008

Figure 3.133: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Manitoba, 2001/02-2004/05




Source: Manitoba Centre for Health Policy, 2008

Figure A.3.122: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Brandon, 1996/97-1999/2000




Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.123: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Brandon, 2001/02-2004/05




Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.124: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Winnipeg, 1996/97-1999/2000




Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.125: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Winnipeg, 2001/02-2004/05




Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.126: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Mid, 1996/97-1999/2000



Source: Manitoba Centre for Health Policy, 2008

Figure A.3.127: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, Mid, 2001/02-2004/05



Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.128: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, North, 1996/97-1999/2000






Figure A.3.129: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, North, 2001/02-2004/05




Note: Readmissions with reasons 'accompanying a sick person' or 'require care' were excluded

Figure A.3.130: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, South, 1996/97-1999/2000



Source: Manitoba Centre for Health Policy, 2008

Figure A.3.131: Reasons for Newborn Hospital Readmission Within 4 Weeks of Birth Discharge, South, 2001/02-2004/05



Source: Manitoba Centre for Health Policy, 2008