


Figure A.3.58: Breastfeeding Initiation Rates for Ages 20-29 Years by RHA

Crude rates per 1,000 women



'1' indicates area's rate was statistically different from Manitoba average in first time period

'2' indicates area's rate was statistically different from Manitoba average in second time period


't' indicates change over time was statistically significant for that area

's' indicates data suppressed due to small numbers

Source: Manitoba Centre for Health Policy, 2008

Figure A.3.59: Breastfeeding Initiation Rates for Ages 20-29 Years by District


Crude rates per 1,000 women



Source: Manitoba Centre for Health Policy, 2008

Figure A.3.60: Breastfeeding Initiation Rates for Ages 20-29 Years by Winnipeg Community Area

Crude rates per 1,000 women




■ 1996/97-2000/01
 ■ 2001/02-2005/06
 ■ MB Avg 1996/97-2000/01
 ■ MB Avg 2001/02-2005/06

'1' indicates area's rate was statistically different from Manitoba average in first time period
 '2' indicates area's rate was statistically different from Manitoba average in second time period
 't' indicates change over time was statistically significant for that area
 's' indicates data suppressed due to small number

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.61: Breastfeeding Initiation Rates for Ages 20-29 Years
by Winnipeg Neighbourhood Cluster**

Crude rates per 1,000 women



Source: Manitoba Centre for Health Policy, 2008

Table A.3.20: Breastfeeding Initiation Rates for Ages 20-29

Region	Breastfeeding Initiation Rates			
	Number Observed per Year	CRUDE rate percent	Number Observed per Year	CRUDE rate percent
	1996/97-2000/01		2001/02-2005/06	
South Eastman	367.4	90.0%	402.0	90.7%
Central	654.2	83.9%	654.2	85.9%
Assiniboine	310.0	82.1%	290.0	82.8%
Brandon	253.8	79.4%	295.0	83.1%
Winnipeg	2996.2	81.6%	2755.0	83.3%
Interlake	303.0	78.3%	316.0	79.8%
North Eastman	166.6	69.4%	153.2	69.4%
Parkland	199.4	70.5%	165.4	69.5%
Churchill	5.4	73.0%	8.8	80.0%
Nor-Man	170.8	64.1%	155.6	68.1%
Burntwood	412.8	66.5%	364.4	61.8%
South	1331.6	85.1%	1346.2	86.6%
Mid	669.0	73.5%	634.6	74.2%
North	589.0	65.8%	528.8	63.8%
Manitoba	5839.8	79.3%	5561.2	80.6%
Public Trustee			1.6	50.0%

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008


Region	Breastfeeding Initiation Rates			
	Number Observed per Year	CRUDE rate percent	Number Observed per Year	CRUDE rate percent
	1996/97-2000/01		2001/02-2005/06	
Fort Garry	274.6	90.5%	233.8	91.2%
Assiniboine South	106.2	88.5%	86.8	88.2%
St. Boniface	218.8	86.6%	188.2	89.6%
St. Vital	279.6	87.5%	253.8	88.7%
Transcona	181.6	84.1%	164.0	86.3%
River Heights	218.6	86.2%	188.2	90.0%
River East	433.4	82.0%	401.6	84.7%
Seven Oaks	238.8	81.3%	232.8	84.7%
St. James - Assiniboia	250.0	84.8%	223.0	88.2%
Inkster	177.6	76.1%	170.0	77.9%
Downtown	384.8	74.2%	376.8	75.5%
Point Douglas	232.2	69.1%	236.0	70.2%
Winnipeg	2996.2	81.6%	2755.0	83.3%

blank cells = suppressed

Source: Manitoba Centre for Health Policy, 2008

**Figure A.3.62: Breastfeeding Initiation Rates for Ages 20-29
by Aggregate RHA Area**

Crude rates per 1,000 women



Source: Manitoba Centre for Health Policy, 2008